

FALL-PAC UNIT & STILLAGE PROTECTING WORKERS SINCE 2006



# FALL-PAC UNIT



Fall-Pac Fall Arrest System units have been specifically designed to protect workers at risk of injury from heights.

The Fall-Pac unit delivers the perfect solution to a range of soft fall protection requirements. Our portable units weigh just 6 Kg each making them easy to transport and position on-site, and a simple one-click interlocking system means units can be installed in a matter of minutes.

Ideal for use in areas where space is at a premium or where manoeuvrability is key, Fall-Pac units offer optimum protection for anyone working at heights up to 2.7 meters per layer.

Units can also be doubled to create an elevated surface an additional layer reduces the potential fall by 644mm. Each Fall-Unit measures  $2.5m \times 644mm$  and will cover an area of  $1.61m^2$ .

Fall-Pac units conform to the latest HSE Regulations and British Standards PAS59 guidelines and are also routinely tested at our unique in-house testing facility in Wigan.

Manufactured in the UK, all Fall-Pac units are constructed from a high quality woven polypropylene outer casing with built-in UV inhibitors and a protective coating to reduce the risk of water ingress; a specially modified polystyrene is contained within.



www.fall-pac.com



# FEATURES & STILLAGE



#### FALL-PAC UNIT FEATURES

- Lightweight just 6 Kg per unit
- Protection from falls of up to 2.7m per layer
- Quick and easy to install
- Easy to transport
- Cost Effective
- UV resistant
- Fire retardant
- I 00% recyclable
- Conforms to PAS 59
- 5 years working life when correctly stored and maintained

#### FALL-PAC STILLAGE



With correct storage and maintenance, the average lifespan of a Fall-Pac unit is around 5 years; nearly double that of many other soft-fall systems on the market.

Fall-Pac's stillage equipment ensures that you get the maximum performance from your Fall-Pac units, saving you time and money, and our stillage system has been specially designed to store and transport up to 20-24 Fall-Pac units with ease.



Here at Safety Pack Limited we take being environmentally friendly seriously. Going green or being environmentally friendly is a rewarding challenge and objective for any modern day business and that's why our recycling service has been designed to make it as convenient as possible for our clients to recycle each Fall-Pac unit once it has reached the end of its lifecycle.

### TRAINING

For any business buying or hiring Fall-Pac units; employee training is essential to ensure a successful Fall-Pac installation. Here at Safety Pack Limited we can provide coaching days for employees from the very first time you buy from the Fall-Pac protection safety range. We are also able to offer followup training for new employees to stay up-to date with the latest HSE regulations.

## **IN-HOUSE TESTING**

Fall-Pac's headquarters in Wigan are home to the UK's only independent on-site testing facility for fall protection units. Our state of the art testing facility allows us to stay one step ahead of the competition by performing regular, extensive safety checks on our products to ensure they meet requirements - giving our customers 100% peace of mind.

### **ON-SITE INSPECTIONS**

For any business buying or hiring Fall-Pac units; correct installation and regular inspections are an essential part of keeping your employees safe. With correct installation and maintenance the average lifespan of a Fall-Pac unit is around 5 years; nearly double that of many other soft-fall systems on the market.

### **INTER-SITE MANAGEMENT**

Our Inter-site management service delivers the perfect solution for any multi-site soft fall-protection project. Whether you are managing a multi-site project or looking to move your Fall-Pac units from one location to another elsewhere in the UK, our experienced team are on hand to manage the project for you from start to finish.

## RECYCLING







# SERVICES



FALL PROTECTION SYSTEMS

Safety Pack Limited Unit 4a Lion Business Centre Leopold Street, Pemberton Wigan, WN5 8EG

